

Predicting Hospital Length of Stay of Patients Leaving the Emergency Department

Alexander Winter^{1,3}^a, Mattis Hartwig^{2,3}^b and Toralf Kirsten¹^c

¹*Department of Medical Data Science, Leipzig University, Germany*

²*German Research Center for Artificial Intelligence, 23562 Lübeck, Germany*

³*singularIT GmbH, 04109 Leipzig, Germany*

alexander.winter@singular-it.de, mattis.hartwig@dfki.de, toralf.kirsten@medizin.uni-leipzig.de

Keywords: Length of Stay Prediction, Emergency Department, MIMIC-IV, CatBoost Architecture

Abstract: In this paper, we aim to predict the patient’s length of stay (LOS) after they are dismissed from the emergency department and transferred to the next hospital unit. An accurate prediction has positive effects for patients, doctors and hospital administrators. We extract a dataset of 181,797 patients from the United States and perform a set of feature engineering steps. For the prediction we use a CatBoost regression architecture with a specifically implemented loss function. The results are compared with baseline models and results from related work on other use cases. With an average absolute error of 2.36 days in the newly defined use case of post ED LOS prediction, we outperform baseline models achieve comparable results to use cases from intensive care unit LOS prediction. The approach can be used as a new baseline for further improvements of the prediction.


1 INTRODUCTION


Accurately predicting the patient’s length of stay (LOS) is an important capability for hospital administrators. An accurate forecast can be used for effective planning and management of hospital resources, which has positive effects for patients, doctors and hospitals (Stone et al., 2022). Patients will experience more seamless treatments and have a reduced risk of running into capacity bottlenecks resulting in negative effects on their recovery. Doctors will experience less stress induced by capacity issues and do not need to focus on ad-hoc capacity planning (Rocheteau et al., 2021). Hospitals can achieve a better utilization of resources and capacities, which will increase their efficiency and enable more sustainable budgeting. Since many patients enter the hospital through the emergency department (ED) the transition from ED to the follow-up unit is an interesting point in time for predicting the remaining LOS (Christ et al., 2010).


In this paper, we use the MIMIC-IV dataset as a basis to learn a regression model for LOS prediction at the moment when the patient is released from the

ED. The version 4 of the MIMIC dataset has been published recently and is the first version that contains specific ED data. Older versions of the MIMIC dataset have already been used for LOS prediction which makes our results comparable to other research (Gentimis et al., 2017; Rocheteau et al., 2021). Variables that influence the hospital LOS are plentiful. They include mostly medical information but can also depend on organizational problems, like unavailability of beds or personal issues, for example a doctor making a misdiagnosis (Buttigieg et al., 2018). An amount of over 250,000 patients and the number of features make the prediction tasks very suitable for machine learning methods. Since the dataset contains many high dimensional categorical features, we use the state-of-the-art CatBoost model (Dorogush et al., 2018) together with a feature engineering, hyperparameter tuning, and a specifically implemented loss function for the regression and task. We also use naive prediction models that predict the mean and median for regression or the most common unit for the classification task as benchmarks. We achieve an average absolute error of 2.36 days which is significantly better than the baseline models and comparable to the work on other prediction tasks based on the MIMIC dataset.

The remainder of the paper is structured as fol-

^a <https://orcid.org/0000-0002-2866-0073>

^b <https://orcid.org/0000-0002-1507-7647>

^c <https://orcid.org/0000-0001-7117-4268>

lows. Section 1 gives an overview of the related work when it comes to LOS prediction. Section 3 introduces the dataset and Section 4 describes the methods used in this paper together with the experimental setup. The results are discussed in Section 5. The paper concludes in Section 6.

2 RELATED WORK

LOS has been researched from various perspectives. Business process research is one perspective that works more as a motivation for our work than as related in terms of methodology. Sadler et al. (Sadler et al., 2011) have identified LOS as a relevant business factor, De Jong et al. (De Jong et al., 2006) have looked into the effect of LOS distributions in hospitals on decisions made by doctors and Buttgieg et al. (Buttgieg et al., 2018) have investigated different structural effects that increase the overall average LOS for hospitals.

The directly related work has also built models for predicting LOS in different situations. There are several papers that also have performed LOS prediction in other scenarios on older versions of the MIMIC dataset. Gentimis et al. (Gentimis et al., 2017) have set-up a binary classifier that differentiates between short (≤ 5 days) and long (> 5 days) stays after a patient leaves the intensive care unit (ICU) using a neural network. Zebin et al. (Zebin et al., 2019) have used a similar approach with slightly different classes (≤ 7 days and > 7 days). Rocheteau et al. (Rocheteau et al., 2021) have used a temporal pointwise convolutional model to predict the remaining days of patients in intensive care.

There are also studies focusing on specific datasets or cohorts. Here we only name a few that have a direct link to ED patients. Launay et al. (Launay et al., 2015) have classified prolonged LOS using a neural network and Chang et al. (Chang et al., 2022) have further focused on classifying the prolonged LOS on severe subgroups in the data and have achieved best results using a CatBoost model. Zolbanin et al. (Zolbanin et al., 2020) has focused on predicting LOS for patients with chronic diseases on a specialized dataset. Stone et al. (Stone et al., 2019) has focused on using admission data to predict the ED LOS.

For an extensive overview of studies connected with LOS prediction Stone et al. (Stone et al., 2022) and Bacchi et al. (Bacchi et al., 2022) have set-up two review papers. Both review papers differentiate between solving a classification task (i. e. long vs short stay) and a regression task (i. e. predicting the

LOS on a continuous time-scale). Overall the related work shows that the LOS prediction is a frequently researched task. Several works focus on using information from a previous unit to predict LOS of the next unit. Despite the importance of the patients that have come through ED admission, to our knowledge predicting LOS of patients from information available at the point in time of leaving the ED unit has not been researched before. An explanation is that the MIMIC-IV dataset, and with it the ED module, has only been released rather recently. Additionally, the overall availability of large datasets that cover multiple process steps in hospitals is quite small.

3 DATASET

The chosen database of our work is MIMIC-IV, a centralized medical information mart, which holds health records of more than 250,000 patients admitted to the Beth Israel Deaconess Medical Center in Boston between the years 2008 - 2019 (Johnsen et al., 2021). All patient data has been extracted from the hospital databases, prepared and reorganized to facilitate data analysis for researchers and anonymized to protect each patients personal information.

The MIMIC-IV database is structured into the modules *core*, *hosp* and *icu*, which store a comprehensive view of each patient stay from demographic information to laboratory results. The newly added *ed* module further includes data originating from the emergency department.

Our cohort has been selected to only include adult patients (age > 18) who had at least one stay in the emergency department. We further excluded very long stays (LOS > 50 days) to remove extreme outliers, which resulted in dropping 537 stays. Patients with missing data, which is only present in the triage table, have been dropped from the final dataset. The selection resulted in a total of 181,797 patients extracted from MIMIC-IV.

As Figure 1 shows, ages are in the range of 18 to 91, with all patients older than 89 grouped into the age of 91. The largest amount of patients fall into the range of 50 to 70 years of age. The distribution of women and men is equal in the dataset, with around 52% of stays by female patients.

Figure 2 shows the LOS distribution for patients in the MIMIC IV database. The graph displays the typical positive skew of LOS data, with the mean at 3.9 days and a median value of 2.4 days.

4 METHODS

In this section, we give a brief overview of the technical methodology used in the experiments. The methodology is structured into feature engineering, the CatBoost architecture, the chosen loss functions and the hyperparameter tuning.

4.1 Features

Features have been selected based on the research of Buttigieg et al. (Buttigieg et al., 2018) and are categorized into the thematic groups: demographics, medical and triage.

Demographics are features that are effected by the patient directly and by their living circumstances. They consist of the *age*, *gender*, *insurance* and *ethnicity*. All the values are retrieved directly from the patients and admission table, as they are included in the electronic health record (EHR).

Medical features refer to attributes that depend on the specific hospital stay. This includes the admission location and the diagnosis given to patients at the end of their emergency department stay in form of an ICD-Code.

Additional features have been engineered from the existing data, to take advantage of additional information existing in MIMIC IV. The variables *los* and *ed.los* are based on the admission and discharge times from the hospital and emergency department. Both values can be calculated directly from the admission and the *ed_stays* table, where admission and discharge times are available and represent the fractional days a patient has spent in the hospital and the emergency department respectively.

The variable *diagnosis_count* is calculated by summing up each individual diagnosis given to a pa-




Figure 1: Age distribution of the created dataset used for LOS prediction.




Figure 2: LoS distribution as a histogram for all patients from MIMIC-IV. Values larger than 50 are ignored for the purpose of visibility

tient during their stay, which is noted in the diagnosis table. The variable *medicine_count* follows the same procedure, but is calculated from the *medrecon* table, which tracks the medicine a patient is taking currently. Both values are created to add further information about the complexity of the patients condition.

The variable *previous_stays* is calculated by counting all hospital admissions a patient has had in the past. This can be done by counting the amount of different hospital admissions for a single patient prior to the current admission date.

The variable *previous_stays_average_length* is created by adding the LOS value of the stays found and dividing by the number of previous stays.

Triage data is collected specifically while patients are in the emergency department by a care provider asking questions to assess the patients' current health status questions. Afterwards the patients' vital signs are measured. Based on the measurement the level of acuity is decided, which serves as the basis when deciding if the patient has to be put into critical care. Features resulting from vital signs are *resprate*, the respiratory rate in breaths per minute, *temperature*, *o2sat*, *sbp* and *dbp*, *paint* and *acuity*.

Table 1 gives an overview about all the features extracted from MIMIC IV, including each type and where it is extracted from. The engineered features and how they have been created are further explained in Section 4.1.

4.2 CatBoost Architecture

CatBoost is an open-source library for gradient boosting. The name stands for categorical boosting, because the CatBoost architecture is able to handle categorical data directly, without the need of man-

ual conversion to a numerical representation (Dorogush et al., 2018). The algorithm is designed to calculate target statistics for each categorical value, which transforms the categorical into a numeric value, while keeping the information the feature holds intact. The conversion avoids adding unfeasible amounts of columns to a dataset, which is a known problem with One-Hot-Encoding (Cerdeira and Varoquaux, 2022). With over 13,000 possible ICD-Codes in the database, One-Hot-Encoding has passed the limits in usefulness.

Comparing CatBoost to other popular boosting frameworks like XGBoost or LightGBM show that CatBoost achieves state-of-the-art performance, both on quality and speed. It outperformed both frameworks on multiple tasks (Dorogush et al., 2018). In the realm of boosting frameworks, CatBoost has increased in popularity compared to the other libraries. To give an example, in healthcare CatBoost has been used for predicting ICU mortality (Safaei et al., 2022) and to predict if a patient will need mechanical ventilation during the hospital stay (Yu et al., 2021).

4.3 Loss Function & Evaluation Metrics

We use the CatBoost Model in two configurations. First, we fit a model on the root mean squared error (RMSE) loss function provided by the CatBoost library. RMSE is a commonly used metric in machine learning tasks, which penalizes larger errors more heavily than smaller ones.

Because of the high positive skew of LOS data, it is important to consider a loss function, that is more robust against outliers and able to mitigate the skewness of the data (Rocheteau et al., 2021). In accor-

Table 1: Features extracted from MIMIC IV, with type and source table.

Group	Feature	Type	Source Table
Demographic	Gender	Binary	Patients
	Age	Discrete	Patients
	Ethnicity	Categorical	Admissions
	Insurance	Categorical	Admissions
Medical	ICD Code	Categorical	Diagnosis
	Adm. Location	Categorical	Admissions
	Diagnosis Count	Discrete	Engineered
	Medicine Count	Discrete	Engineered
	Previous Stays	Discrete	Engineered
	Prev. Stays Avg.	Continuous	Engineered
	ED LoS	Continuous	Engineered
Triage	LoS	Continuous	Engineered
	Resprate	Discrete	Triage
	Temperature	Continuous	Triage
	O2sat	Discrete	Triage
	sbp	Discrete	Triage
	dbp	Discrete	Triage
	Pain	Discrete	Triage
	Acuity	Discrete	Triage

dance to the findings of Rocheteau et al. (Rocheteau et al., 2021), we used the root mean squared logarithmic error (RMSLE) as a second loss function, which penalizes proportional errors and is less affected by outliers. Since CatBoost does not provide RMSLE as an optimization objective, we have implemented it ourselves using the custom objective interface.

Since we want to compare our results to the works of Rocheteau et al. (Rocheteau et al., 2021) and Gentimis et al. (Gentimis et al., 2017), our LOS prediction is conducted in a similar way to the aforementioned works and uses the same metrics for evaluation. Metrics used are mean squared error (MSE), mean absolute percentage error (MAPE), mean absolute error (MAE), mean squared logarithmic error (MSLE) and the coefficient of determination (R^2). For the case of using predictions to optimize clinical processes and capacity the MAE and MAPE errors are the most important. Additionally, in order to compare our results to the results of Gentimis et al. (Gentimis et al., 2017), who predicted short ($\hat{y} \leq 5$) vs. long stays ($\hat{y} > 5$), the results of the regressor and the target values are converted into a categorical representation of short vs, long stay with the same threshold of 5 days. After the conversion we calculate the accuracy of the CatBoost model for the classification task.

4.4 Hyperparameter Tuning

Since CatBoost is a library for gradient boosted trees, hyperparameters fall into the domain of tree-specific parameters. CatBoost provides an order of importance in the documentation¹, going from conventionally most influential parameters to the more case specific ones. First, we used the CatBoost regression model with default values, to check for initial overfitting and to get reasonable default values for each parameter.

Afterwards we performed a grid search, with the hyperparameter space being a combination of the

Table 2: Hyperparameter selection of the final CatBoost model, after the grid search has been performed.

Hyperparameter	Value	Default
Learning rate	0.1	no
Tree Depth	6	no
L2 regularization	50	no
Random strength	1	yes
Bagging temperature	1	yes
Border count	128	yes
Internal dataset order	False	yes
Tree growing policy	Symmetric	yes

¹<https://catboost.ai/en/docs/concepts/parameter-tuning>

most influential parameters, which are the learning rate, the tree depth and the L2 regularization. The values for the grid search are predefined with the default values and recommendations from the CatBoost documentation serving as the basis for the selection.

We selected the parameters of the run with the most optimal evaluation metric as the parameters for the final model. Table 2 presents the selected hyperparameters.

Performing the grid search has shown, that adjusting the tree depth contributed the most to the emergence of under- or overfitting. Larger trees performed better on the training dataset, but but lost performance when making predictions on the evaluation data, which is a sign that the model lost the ability to generalize on new data.

4.5 Generation of Final Results

The LOS prediction is performed with the model setup described above. We split our dataset into train, validation and test data with a proportion of 60%, 20% and 20% respectively. The training and testing is conducted in 10 runs, where each run has the model train and predict on a new, randomly sampled dataset, which introduces some randomness in the data to not have the model be influenced by a biased selection of the dataset.

To provide an unbiased evaluation of the model performance during training and hyperparameter tuning, the validation data is used to calculate the metrics during training. Finally, the model is tested on the new, unseen test data, where the evaluation metrics described in Section 4.3 are calculated from the model results.

To understand the impact of the diagnosis a patient received at the end of the emergency department stay, we have created two separate training datasets with varying levels of detail of the ICD-Code.

3 digit ICD-Code: The first dataset has the ICD-Codes truncated to 3 digit codes to reduce the cardinality, while also reducing the amount of information the ICD-Code holds.

Full ICD-Code: The second dataset uses full ICD-Codes, where each ICD-Codes encodes the most information about the patients condition.

The separation has been performed to take advantage of CatBoosts ability to handle inputs with high cardinality. We calculate the selected evaluation metrics (see section 4.3) based on the results of each run and calculate 95%-confidence for every metric. The same procedure is repeated for the baseline models.

4.6 Baselines

We included additional baseline models in our work, to evaluate the CatBoost model. We used mean and median predictors, which calculate the mean and median of the training dataset and use the values for every prediction. In our case the values are 3.9 for the mean and 2.4 for the median regressor. The so called Dummy Regressor is the most simple model possible, which is better than random guessing, because it is independent from the actual input when making a prediction. They are used to set performance expectations for the task on our specific dataset.

Additionally, we used a linear regression model to predict the LOS as a further baseline. Linear regression has been used in LOS prediction before and is usually a popular choice, because it is widely applicable and the results can be easily interpreted (Austin et al., 2002).

5 RESULTS & DISCUSSION

In this section, we present the results of the trained regression models and compare our results and accuracy metrics to related works (Gentimis et al., 2017; Rocheteau et al., 2021).

5.1 Prediction Results

Table 3 shows the chosen metrics for seven different regressor models. The first three models are our three baseline models. Due to the skew of the LOS curve, the median model, which is predicting slightly lower LOS times, has slightly worse performance on the MSE. Looking at our main metrics when it comes to usability, MAE and MAPE are the better metrics for the median model. The linear regression is not adding any value and in fact makes the model worse, which shows that more complex models are needed to solve the use case.

The following four models are different versions of the CatBoost model (trained on two different data sets and using two different loss-functions). All four CatBoost models are better than the baseline models. The best results terms of MAE and MAPE are achieved by the CatBoost (RMSLE, 3-digit ICD codes) model, where we get a MAE of 2.36 and a MAPE of 136. Compared with the baseline model, the increase is significant but has still room for improvements. Especially, the change of going to the RMSLE loss function that we implemented for the CatBoost architecture was able to achieve a significant gain compared to the RMSE loss function. The

Table 3: Regression results of the CatBoost model compared to the defined baselines. Three separate datasets are used during the experiments and the metrics are calculated for each dataset. Results are displayed as 95%-Confidence intervals. The intervals are not calculated for the dummy predictors, because they are deterministic. The CatBoost model is trained with both the RMSE and RMSLE loss function. For the first four metrics lower values are better. The R2 score is optimal for a value of one.

Model	MSE	MAE	MAPE	MSLE	R2
Mean	25.03	3.15	372	0.66	0
Median	27.6	2.88	229	0.57	-0.09
Linear Regression	27.3±0.0	3.34±0.00	379±0	0.73±0.00	-0.09±0.00
CatBoost (RMSE) (3 digit ICD-Code)	20.23±0.01	2.61±0.00	209±0	0.42±0.00	0.18±0.00
CatBoost (RMSLE) (3 digit ICD-Code)	21.59± 0.00	2.36±0.00	136±0	0.36±0.00	0.13±0.00
CatBoost (RMSE) (Full ICD-Code)	19.82±0.00	2.58±0.00	206±0	0.41±0.00	0.18±0.00
CatBoost (RMSLE) (Full ICD-Code)	21.70±0.00	2.42±0.00	129±0	0.36±0.00	0.11±0.00

performance increase is in line with other research in use cases that have very skewed distributions in the prediction variable (Rocheteau et al., 2021; Feng et al., 2014; Rengasamy et al., 2020). As can be seen in Figure 3, the model trained with the RMSLE loss function managed to further centralize the loss around zero, with around 43 per cent of errors being below one day. As negative values signify that predictions are lower than the target, the overall shift to the right shows that the model with the RMSLE loss function is more likely to overpredict. The model predictions do not vary greatly over the ten runs, as the 95%-Confidence intervals in Table 3 show.

Figure 4 shows the feature importance of the model provided by the CatBoost library. The figure shows that the top features are all related directly to the patient condition, with the most important feature being the actual diagnosis. Furthermore, the graph shows that engineered features have made an overall impact on the prediction, since 4 out of the top 10 fea-




Figure 3: Comparison of prediction errors for the RMSE (blue) and RMSLE (light-blue) loss functions. RMSLE had a lower variance, further centering the errors around zero. Predictions errors that are greater than 20 days are hidden here, to improve readability




Figure 4: Top 10 most important features to the CatBoost model.

tures to the model have been created. To the contrary, the high influence of *ed_los* can be seen as a limitation of the model, since the *ed_los* can be influenced by more than the medical condition of the patient. Operational factors, like holding patients in the ED because of hospital unit overcrowding, would prolong the ED stay as well. Therefore, the exact composition of the *ed_los* and its actual influence on the hospital LOS should be further investigated.

Lastly, the graph shows that mostly medical features, related to the patient condition directly, are of importance to the model. The ICD-Code had the largest impact over all the features used during training, significantly impacting the final prediction. Comparing the results on the two datasets from Table 3 shows an increase in performance when using the full ICD-Code, which further confirms the importance of accounting for categorical data.

5.2 Comparison with related work

As described above we compare our results to the results from Rocheteau et al. (Rocheteau et al., 2021) and Gentimis et al. (Gentimis et al., 2017). It is important to stress that both works have solved different prediction tasks to our work. Gentimis et al. (Gen-

Table 4: Performance of the regressor model compared to the works of Rocheateau and Gentimis (Gentimis et al., 2017; Rocheateau et al., 2021). The same metrics are used for comparison.

Model	MSE	MAE	MAPE	MSLE	R2	Short vs. Long
CatBoost (RMSE)	20.23	2.61	209	0.42	0.18	74%
CatBoost (RMSLE)	21.59	2.36	136	0.36	0.13	78%
TPC (MSE)	21.6	2.21	154.3	1.80	0.27	—
TPC(MSLE)	21.7	1.78	63.5	0.70	0.27	—
Gentimis NN	—	—	—	—	—	79%

timis et al., 2017) predicts the LOS of the patient after they leave the ICU. Rocheateau et al. (Rocheateau et al., 2021) predicts the time the patient is staying in ICU. They used different data compared to our ED use case. Nevertheless we include a comparison to see, if the performance metrics of the predictions are in a similar range.

Our reported metrics match the ones from Rocheateau et al. (Rocheateau et al., 2021). Gentimis et al. (Gentimis et al., 2017) have chosen a classification between long stays and short stays, where a long stay is predicted, when the LOS is greater than 5 days. Consequently, the prediction results of the CatBoost model must be transformed to be comparable. The transformation has been performed by retroactively classifying the prediction outputs and the target variable depending on its value being lower or greater than 5. Afterwards, the accuracy is calculated by comparing both values, which results in the same metric used by Gentimis et al.

Table 4 displays the results of all metrics, the last column being the accuracy on classifying short vs. long stays, which Gentimis et al. have done. The CatBoost model produced similar but slightly worse results compared to the Temporal Pointwise Convolution Network created by Rocheateau et al. when it comes to MAE and MAPE and relatively comparable results when it comes to MSE. The distribution of ICU LOS is significantly narrower compared to regular station LOS after ED dismissal which might be part of the explanation. The tendency of getting better performance when switching from RMSE/MSE to RMSLE/MSLE was also observed by Rocheateau et al. Our transformed classification metric shows almost identical accuracy performance (78% for the CatBoost RMSLE, 3-Digit Groups) as the results of Gentimis et al. (79%).

6 CONCLUSION

In this paper, we have used the released ED data of the MIMIC-IV dataset released in 2020 to predict clinical LOS of patients after their ED stay. We have trained a CatBoost model on the LOS prediction task and im-

plemented the MSLE loss function as a transfer from other models to the CatBoost architecture. The performed feature engineering had a positive effect on the prediction quality, as 4 out of the top 10 important features are engineered, which further reiterates the importance of taking advantage of domain knowledge to extract additional information. Our prediction performance was better than the implemented baseline models and comparable to similar use cases of predictions using the MIMIC dataset. The average absolute error of 2.36 days is a significant improvement and might be used for better planning in hospitals but still has room for improvement. A further reduction of the prediction error based on our presented approach will be the target for future research. Potential ideas could be to refine the feature engineering process with more domain knowledge, e. g. by grouping further grouping of high dimensional categorical features, or to benchmark further model architectures, e.g. Generalized Linear Models (GLMs) that have been shown effective in dealing with skewed data.

REFERENCES

- Austin, P. C., Rothwell, D. M., and Tu, J. V. (2002). A comparison of statistical modeling strategies for analyzing length of stay after cabg surgery. *Health Services and Outcomes Research Methodology*, 3(2):107–133.
- Bacchi, S., Tan, Y., Oakden-Rayner, L., Jannes, J., Kleinig, T., and Koblar, S. (2022). Machine learning in the prediction of medical inpatient length of stay. *Internal medicine journal*, 52(2):176–185.
- Buttigieg, S. C., Abela, L., and Pace, A. (2018). Variables affecting hospital length of stay: A scoping review. *Journal of Health Organization and Management*, 32(3):463–493.
- Cerda, P. and Varoquaux, G. (2022). Encoding high-cardinality string categorical variables. *IEEE Transactions on Knowledge and Data Engineering*, 34(3):1164–1176.
- Chang, Y.-H., Shih, H.-M., Wu, J.-E., Huang, F.-W., Chen, W.-K., Chen, D.-M., Chung, Y.-T., and Wang, C. C. (2022). Machine learning-based triage to identify low-severity patients with a short discharge length of stay in emergency department. *BMC Emergency Medicine*, 22(1):1–10.

- Christ, M., Grossmann, F., Winter, D., Bingisser, R., and Platz, E. (2010). Modern triage in the emergency department. *Deutsches Ärzteblatt international*, page 892–898.
- De Jong, J. D., Westert, G. P., Lagoe, R., and Groenewegen, P. P. (2006). Variation in hospital length of stay: do physicians adapt their length of stay decisions to what is usual in the hospital where they work? *Health Services Research*, 41(2):374–394.
- Dorogush, A. V., Ershov, V., and Gulin, A. (2018). Catboost: gradient boosting with categorical features support. *ArXiv*, abs/1810.11363.
- Feng, C., Hongyue, W., Lu, N., Chen, T., He, H., Lu, Y., and Tu, X. (2014). Log-transformation and its implications for data analysis. *Shanghai archives of psychiatry*, 26:105–9.
- Gentimis, T., Alnaser, A. J., Durante, A., Cook, K., and Steele, R. (2017). Predicting hospital length of stay using neural networks on mimic iii data. *2017 IEEE 15th Intl Conf on Dependable, Autonomic and Secure Computing, 15th Intl Conf on Pervasive Intelligence and Computing, 3rd Intl Conf on Big Data Intelligence and Computing and Cyber Science and Technology Congress(DASC/PiCom/DataCom/CyberSciTech)*.
- Johnsen, A., Bulgarelli, L., Horng, S., Celi, L. A., and Mark, R. (2021). Mimic-iv (version 1.0). <https://doi.org/10.13026/s6n6-xd98>.
- Launay, C., Rivière, H., Kabeshova, A., and Beauchet, O. (2015). Predicting prolonged length of hospital stay in older emergency department users: use of a novel analysis method, the artificial neural network. *European journal of internal medicine*, 26(7):478–482.
- Rengasamy, D., Rothwell, B., and Figueredo, G. P. (2020). Asymmetric loss functions for deep learning early predictions of remaining useful life in aerospace gas turbine engines. *2020 International Joint Conference on Neural Networks (IJCNN)*, page 1–7.
- Rocheteau, E., Liò, P., and Hyland, S. (2021). Temporal pointwise convolutional networks for length of stay prediction in the intensive care unit. *Proceedings of the Conference on Health, Inference, and Learning*.
- Sadler, B. L., Berry, L. L., Guenther, R., Hamilton, D. K., Hessler, F. A., Merritt, C., and Parker, D. (2011). Fable hospital 2.0: the business case for building better health care facilities. *Hastings Center Report*, 41(1):13–23.
- Safaei, N., Safaei, B., Seyedekrami, S., Talafidaryani, M., Masoud, A., Wang, S., Li, Q., and Moqri, M. (2022). E-catboost: An efficient machine learning framework for predicting icu mortality using the eicu collaborative research database. *PLOS ONE*, 17(5).
- Stone, K., Zwigelaar, R., Jones, P., and Mac Parthaláin, N. (2022). A systematic review of the prediction of hospital length of stay: Towards a unified framework. *PLOS Digital Health*, 1(4):e0000017.
- Stone, K., Zwigelaar, R., Jones, P., and Parthaláin, N. M. (2019). Predicting hospital length of stay for accident and emergency admissions. In *UK Workshop on Computational Intelligence*, pages 283–295. Springer.
- Yu, L., Halalau, A., Dalal, B., Abbas, A. E., Ivascu, F., Amin, M., and Nair, G. B. (2021). Machine learning methods to predict mechanical ventilation and mortality in patients with covid-19. *PLOS ONE*, 16(4).
- Zebin, T., Rezvy, S., and Chausalet, T. J. (2019). A deep learning approach for length of stay prediction in clinical settings from medical records. In *2019 IEEE Conference on Computational Intelligence in Bioinformatics and Computational Biology (CIBCB)*, pages 1–5. IEEE.
- Zolbanin, H. M., Davazdahemami, B., Delen, D., and Zadeh, A. H. (2020). Data analytics for the sustainable use of resources in hospitals: predicting the length of stay for patients with chronic diseases. *Information & Management*, page 103282.